



هيئة الصحة
HEALTH AUTHORITY

تعميم رقم (DG 07 / 15) Circular No.

Date: February 23rd 2015

التاريخ: 23 فبراير 2015

To: All Healthcare Facilities
in the Emirate of Abu Dhabi
National Health Insurance Company (Daman)

إلى: جميع المنشآت الصحية في إمارة أبوظبي
الشركة الوطنية للضمان الصحي "ضمان"

Subject: HAAD Updates on Childhood Immunization Schedule

الموضوع: تحديث هيئة الصحة - أبوظبي لجدول تحصينات الأطفال

Greetings.

We would like to extend you our sincere greeting, wishing you every success.

Health Authority – Abu Dhabi is regularly updating the immunization schedule based on scientific evidence-based practice and recommendations from Higher National Immunization Committee and Immunization Technical Advisory Group.

Therefore, kindly be informed that HAAD updated the Childhood Immunization Program as per the following:

First: Add Oral Polio Vaccine (OPV) for children at the age of 4 months.

Second: Add Measles, Mumps, Rubella (MMR) Vaccine for children at the age of 18 months.

All healthcare facilities providing vaccination service in the Emirate of Abu Dhabi should ensure the following:

- Provide OPV as per HAAD schedule at the age of 4, 6 and 18 months even if the Inactivate Polio Vaccine (IPV) is given for that age as separate antigen or as part of combined antigens.
- School Health Services to continue MMR immunization for Grade 1 until the children who received two doses of MMR at age of 12 months and 18 months are enrolled in grade 1.

تحية طيبة وبعد ،،،

يطيب لنا أن نقدم إليكم بخالص التحية والتقدير متمنين لكم دوام التوفيق.

تقوم هيئة الصحة - أبوظبي بتحديث برنامج التحصين دورياً استناداً إلى الممارسات القائمة على الأدلة العلمية والتوصيات المقدمة من اللجنة الوطنية العليا للتحصينات والمجموعة الفنية الاستشارية للتحصينات.

وعليه نود إخطاطة الجميع علماً بأن هيئة الصحة - أبوظبي قامت بتحديث برنامج تحصين الأطفال كالتالي:

أولاً: إضافة لقاح شلل الأطفال الفموي في عمر الأربعة أشهر.

ثانياً: إضافة لقاح الثلاثي الفيروسي (الحصبة والنكاف والحصبة الألمانية) في عمر الثمانية عشر شهراً.

يجب على جميع المنشآت الصحية في إمارة أبوظبي والتي تقدم خدمات التطعيم الالتزام بالتالي:

- إعطاء لقاح شلل الأطفال الفموي تبعاً لجدول هيئة الصحة - أبوظبي وذلك في عمر أربعة أشهر وستة أشهر وثمانية عشر شهراً حتى ولو أعطي حقنة لقاح شلل الأطفال المُعطل في شكل طعم أحادي أو أحد مكونات الطعم المركب لنفس الفئة العمرية.
- استمرار خدمات الصحة المدرسية في إعطاء جرعة الثلاثي الفيروسي لطلبة الصف الأول حتى يتم تسجيل الأطفال الحاصلين على جرعتين من لقاح الثلاثي الفيروسي في عمر اثنا عشر شهراً وعمر ثمانية عشر شهراً في الصف الأول.



هيئة الصحة HEALTH AUTHORITY

- Report and submit Immunization data by using HAAD Immunization Information System (SII). Please ensure the data entered are accurate and validated prior to submission to HAAD.

• الإبلاغ وتقديم البيانات باستخدام النظام الإلكتروني الخاص بالتحصني لهيئة الصحة ، ويجب التأكد من أن البيانات المُدخلة صحيحة والتحقق من صحتها قبل إدراجها.

We hope that all Healthcare facilities will adhere to the provisions of this Circular from issuance.

يتوجب على كافة المنشآت الصحية في إمارة أبوظبي تنفيذ الإضافة الجديدة على جدول تحصينات هيئة الصحة - أبوظبي اعتباراً من تاريخ نشر هذا التعميم.

The changes in Expanded Program on Immunization (EPI) schedule are summarized in the enclosed table.

مرفق بطيه جدول برنامج التحصين الموسع بالتغيير الجديد.

We are grateful for your kind cooperation.

شاكرين لكم حسن تعاونكم معنا.


أ.د. مها تيسير بركات
المدير العام
Director General





The Health Authority – Abu Dhabi Immunization Schedule (2015 – 2016):

	Age Given	Vaccination Type
Childhood Immunization Schedule	Birth	BCG (Bacillus Calmette-Guerin)
		HepB (Hepatitis-B vaccine)
	End of month 2	Hexavalent (Diphtheria, Tetanus, Pertussis (acellular), Haemophilus Influenzae B - Hepatitis B, and Injectable Polio vaccine)
		PCV (Pneumococcal conjugate vaccine)
		RV1 (Rotavirus monovalent vaccine)
	End of month 4	Hexavalent (Diphtheria, Tetanus, Pertussis (acellular), Haemophilus Influenzae B - Hepatitis B, and Injectable Polio vaccine)
		OPV (Oral polio vaccine) ¹
		PCV (Pneumococcal conjugate vaccine)
	End of month 6	RV1 (Rotavirus monovalent vaccine) ²
		Pentavalent (Diphtheria, Tetanus, Pertussis (cellular), Hepatitis B, Haemophilus Influenzae B)
		OPV (Oral polio vaccine)
	End of month 12	PCV (Pneumococcal conjugate vaccine)
		MMR (Measles, Mumps and Rubella vaccine)
	End of month 18	Varicella (Varicella vaccine)
Tetravalent (Diphtheria, Tetanus, Pertussis (acellular), and Haemophilus Influenzae B vaccine)		
OPV (Oral polio vaccine)		
PCV (Pneumococcal conjugate vaccine)		
School Immunization Schedule	Grade 1	MMR (Measles, Mumps and Rubella vaccine) ¹
		DTaP (Diphtheria, Tetanus, acellular Pertussis vaccine)
		OPV (Oral polio vaccine)
		MMR (Measles, Mumps and Rubella vaccine) ³
	Grade 11	Var (Varicella vaccine) ³
		Tdap (Tetanus, reduced Diphtheria and acellular Pertussis vaccine)
		OPV (Oral polio vaccine)
		HPV (Human Papillomavirus vaccine) for females only (3 doses)

- 1- The new changes in Childhood Immunization Schedule
- 2- It is recommended that the rotavirus vaccine series to be completed with the same product. However, vaccination should not be deferred if the product used for previous doses is not available or is unknown. In this situation, the provider should continue or complete the series with the product available. If any dose in the series was the pentavalent vaccine, or the product is unknown, a total of three doses of rotavirus vaccine should be given.
- 3- If the student did not receive the vaccine previously, provide 2 doses of the vaccine.